

FLOW Meters

DRUM / BARREL PUMPS

Models FM-1000, FM-2000, FMBC-2000



FM-1000



FM-2000 / FMBC-2000
(Batch Control Version)

Dispense precise amount of fluids from drums, barrels, totes and other containers.

Handles a wide variety of chemicals and corrosive liquids such as acids, bases, cleaners, coolants, plating solutions, developing solutions, pesticides, and herbicides. Meters are designed for use on PFM, PFP and PFV drum pumps.

Features

- Splash and corrosion-resistant polypropylene or PVDF construction
- Includes engineered connection components for fast assembly to PFM, PFP or PFV drum pumps.
- FM-1000 is preset, factory calibrated
- FM-2000 and FMBC-2000 are factory calibrated but can also be user calibrated for custom flow rates and fluid characteristics
- Displays either volume (total flow) or flow rate in gallons or liters
- +/- 1% accuracy and repeatability
- Batch control version - FMBC-2000 - stops pump after a customer-adjustable preset volume is pumped.
- Easy to read LCD display with push-button interface
- Automatic power down feature extends battery life (FM-1000 only)
- FMBC-2000 operates on 115 or 230V depending on model
- 20 cP maximum viscosity
- Temperature range: 40°F (5°C) to 120°F (49°C)
- Flow range: 5 gpm (20 lpm) to 32 gpm (120 lpm)



FINISH THOMPSON INC.

Specifications

FM-1000 Series Models

Part Number	Model Number	Totalizer	Rate	Units	Material
106608	FM-1000-T	X		Gallons	Polypropylene
106608-1	FM-1000-RT	X	X	Gal./GPM	Polypropylene
106608-2	FM-1000-T	X		Gallons	PVDF
106608-3	FM-1000-RT	X	X	Gal/GPM	PVDF
106608-4	FM-1000-T	X		Liters	Polypropylene
106608-5	FM-1000-RT	X	X	Liters/LPM	Polypropylene
106608-6	FM-1000-T	X		Liters	PVDF
106608-7	FM-1000-RT	X	X	Liters/LPM	PVDF

FM-2000 Series Models

Part Number	Model Number	Totalizer	Rate	Units	Material	Field Calibration
106609	FM-2000	X	X	Gal./GPM	Polypropylene	X
106609-1	FM-2000	X	X	Gal./GPM	PVDF	X
106609-4	FM-2000	X	X	Liters/LPM	Polpropylene	X
106609-5	FM-2000	X	X	Liters/LPM	PVDF	X

FMBC-2000 Series Models

Part Number	Model Number	Totalizer	Rate	Units	Material	Field Calibration	Batch Control
106609-2	FMBC-2000	X	X	Gal./GPM	Polypropylene	X	115V, 60Hz
106609-3	FMBC-2000	X	X	Gal./GPM	PVDF	X	115V, 60Hz
106609-6	FMBC-2000	X	X	Liters/LPM	Polypropylene	X	230V, 50Hz
106609-7	FMBC-2000	X	X	Liters/LPM	PVDF	X	230V, 50Hz

Meter Type	Materials of Construction
Polypropylene	Polypropylene housing, PVDF turbine, PVDF shaft, FKM seal
PVDF	PVDF housing, PVDF turbine PVDF shaft, FKM seal



FINISH THOMPSON INC.

921 Greengarden Road • Erie, PA 16501-1591 U.S.A.
 Ph 814-455-4478 • Fax 814-455-8518
 Email fti@finishthompson.com • www.finishthompson.com

Sales - 800-934-9384
 Order Fax - 814-459-3460
 Literature ID No. FT08-1012, R2





OFFICIAL DISTRIBUTORS FOR:

